## AR30PRO-P TECHNICAL DATA SHEET (airless road marking machine)

Dimensions: 146x64x h102 cm; Weight: 121 Kg



Photo doesn't show standard machine.

## Gasoline engine:

- -power 6 HP
- -self-winding pull start

(In a few minutes you can <u>quickly replace gasoline engine with electric</u> <u>motor</u>. Look at optional)

**Hand push.** (It's possible to equip the line striper with HMC or HMC-C, the hydraulic motorized chariot. Look at optional)

Parking brake on rear wheel

**Swivel front wheel**, to stripe very sharp curves. It can be locked or unlocked during the work by a lever on handlebars. Steering hardness is adjustable by proper regulator

**Telescopic pointer** for easily following pre-marking or precisely matching existing line

Machine is equipped with all safety devices according to EU requirements. Machine conforms to:

► EU Directive 2006/42/EC on Machinery



Holder for paint bucket (max diam. 32 cm)

Airless hydraulic piston pump:

-max. vol. flow 6,17 l/min



Removable paint gun: can be used as manual gun (for stenciling) or as automatic gun controlled by lever (for line). Standard nozzle for 10-20 cm line. (Line width can be ranged from 5 cm to 30 cm by changing nozzle and adjusting gun height)

Gun support with wheel: to follow the road

High-pressure paint filter

5 m paint hose

MAX. LINE WIDTH: 50 cm

(achievable only with proper optional equipment)

SPRAYABLE PRODUCTS: not refractive paints, specifically formulated for airless application



## **OPTIONAL EQUIPMENT:**

- **Kit electric motor 3HP, one-phase, with support**. Striper is designed for a simple and quick replacement of gasoline engine (standard) with electric motor (optional): in a few minutes, directly on the site, you can turn gasoline striper into electric striper (and vice versa)
- **HMC Hydraulic Motorized Chariot:** transforms the push machine in a machine with drive. Useful to increase productivity, to finish works quicker and easier, with less fatigue. Indispensable to mark on slopes. With seat. (Look at TDS of HMC motorized chariot)
- Second manual paint gun with kit of cocks, 5 m hose, support and <u>lever control</u>. It's needful for striping 50 cm line
- Gravity glass bead system consisting of:
  - gravity glass bead tank, capacity 24 I
  - bead dispenser. Available in following widths:
    - 1 dispenser for line width max 15 cm (adjustable for 12 and 15 cm)
    - 2 dispensers for 2 lines width max 15 cm (adjustable for 12 and 15 cm)
    - 1 dispenser for line width max 30 cm (adjustable for 12, 15, 20, 25 and 30 cm)
    - 1 cone with 1 skirt (available width 12 cm; 15 cm; 20 cm; 25 cm; 30 cm)
- 50 L paint hopper, in polyethylene, with suction from bottom

We suggest to complete the machine equipment with:

- nozzle for line width 5 cm
- nozzle for line width 30 cm
- nozzle for surfaces, advised for stenciling (crosswalk, symbols, legends, stops, ...).





## - HMC-C Hydraulic Motorized Chariot with Compressor:

transforms the push machine in a machine with drive. Compressor provides air for: mounting pneumatic controls for automatic guns; putting under pressure the glass bead tank; supplying the air of distribution to the bead gun (Look at TDS of HMC-C motorized chariot)

- Automatic paint gun with control.

Attention: it can be used only if striper is equipped with optional HMC-C

- Second automatic paint gun with independent control, to stripe 50 cm or 2 lines at the same time (for example continuous line + skip line).

Attention: it can be used only if striper is equipped with optional HMC-C

- Pneumatic support for paint gun (one disc), to keep automatic gun always at the same distance from ground, ensuring constant width of the line.

Attention: it can be used only if striper is equipped with optional HMC-C

- Pressurized glass bead system consisting of:
- glass bead tank. Available capacity: pressurized tank capacity 15,5 l
  - pressurized conic tank capacity 20 I
  - pressurized tank capacity 26 l
- automatic glass bead gun with adjustable diffuser
- closing delay regulator for bead gun.

Attention: it can be used only if striper is equipped with optional HMC-C

- Second automatic glass bead gun with independent delay regulator.

Attention: it can be used only if striper is equipped with optional HMC-C and pressurized glass bead system

- Manual glass bead gun with air hose and bead hose, for bead application on stenciling.

Attention: it can be used only if striper is equipped with optional HMC-C and pressurized glass bead system





